



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Nov. 4, 1911—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants.														
Ann Arbor, Mich.	14,817	9	4				1							
Beaver Falls, Pa.	12,191		3								2			
Bennington, Vt.		2	1		4		3							
Braddock, Pa.	19,597	2	7								2			
Butler, Pa.	20,728	13	5	1										
Cambridge, Ohio.	11,327	3					1						2	
Camden, S. C.							3							
Carbondale, Pa.	17,040	3					1							
Clinton, Mass.	13,075											1		
Coffeyville, Kans.	12,687													
Columbus, Ga.	20,554	6									1		2	
Columbus, Ind.		4	10											1
Concord, N. H.	21,497	11	1									1		
Cumberland, Md.	21,839	7	10		1								13	2
Dunkirk, N. Y.		6	2	1			2						1	
Galesburg, Ill.	22,089	16	7				1				2	1		1
Greensboro, N. C.	15,859	5									1			
Harrison, N. J.	14,498	3									1	1	1	
Homestead, Pa.	18,713		7								1			
Hyde Park, Mass.	15,507	2					1							
Kearny, N. J.	18,659	6					1							
La Fayette, Ind.	12,081	5									1			
Lebanon, Pa.	19,240	7	7											
Marinette, Wis.	14,610	1			7		1						2	
Marlboro, Mass.	14,479	6	3											
Massillon, Ohio	13,879	1	1										3	
Medford, Mass.	23,150	3	1				1				1	2		
Melrose, Mass.	15,715	1					2							
Moline, Ill.	24,199	1	1	1			1							
Montclair, N. J.	21,150	4	3				5					1		
Morristown, N. J.	12,507	6	1											
Nanticoke, Pa.	18,877	3			4									
Newburyport, Mass.	19,940	4												1
North Adams, Mass.	22,019	7										1		1
Northampton, Mass.	19,431	5					1					1		
Ottumwa, Iowa.	22,012	10										1	2	
Palmer, Mass.		2												
Palo Alto, Cal.		3			1									
Pekskill, N. Y.		4					2							1
Plainfield, N. J.	20,550	4									3	2		
Pottstown, Pa.		4												
Saratoga Springs, N. Y.		6									1		1	
South Bethlehem, Pa.	19,973	8	1		1		1				1	1	1	1
Steelton, Pa.	14,246	5	5	1							2			
Warren, Pa.	11,080	3	1											
Wilkinsburg, Pa.	18,924	6	2				2						1	
Woburn, Mass.	15,308	4											1	

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (untabulated).

IOWA.—Month of September, 1911. Population 2,224,771. Total number of deaths from all causes 1,515, including diphtheria 12, measles 1, scarlet fever 2, tuberculosis 128, typhoid fever 26.

LOUISIANA.—Three months ended August 31, 1911. Population 1,656,388. Total number of deaths from all causes 2,139, including diphtheria 10, measles 5, scarlet fever 43, smallpox 5, tuberculosis 47, typhoid fever 78.

MARYLAND.—Month of September, 1911. Population 1,295,346. Total number of deaths from all causes 951, including diphtheria 4, tuberculosis 89, typhoid fever 59. Cases reported: Diphtheria 54, measles 9, scarlet fever 40, typhoid fever 436. The typhoid fever cases were distributed as follows: Potomac River watershed 191, Patapsco River watershed 41, Patuxent River watershed 22, Susquehanna River watershed 3, Choptank River watershed 2, Herring Run watershed 7, Baltimore City water system 18.

NEW YORK.—Month of September, 1911. Population 9,113,614. Total number of deaths from all causes 10,544, including diphtheria 103, measles 23, scarlet fever 21, tuberculosis 1,169, typhoid fever 155. Cases reported: Diphtheria 1,147, measles 465, scarlet fever 442, smallpox 9, tuberculosis, pulmonary, 2,231, typhoid fever 1,135.